

Building product declaration

according to BPD associations' standardised format eBVD

Lindab mastic acryl

1. COMPANY INFORMATION

Lindab Sverige AB Filial

Company name:	Organisation number:		
Lindab Sverige AB Filial	556247-2273		
Address:	Contact person:		
Dolkvägen 16	Kundtjänst		
E-mail:	Telephone:		
kundtjanst.ventilation@lindab.com	+46 10 14 64 100		
VAT number:	Website:		
	www.lindab.com		
GLN: 7300009-00795-0	DUNS:		
Company was last saved			
2025-02-10 10:43:06			
2020 02 10 1011000			
Company's certification			
✓ ISO 9001 ✓ ISO 14001			
Other:			
One.			
Policies and guidelines			
The company has a code of conduct/policy/guidelines for dealing with the requirements	social responsibility in the supplier chain, including procedures for ensuring		
This is third-party audited			
If yes, which if the following guidelines have you affiliated to or management system you have implemented			
✓ UN guiding principles for companies and human rights			
ILO's eight core conventions			
OECD Guidelines for Multinational Enterprises			
✓ UN Global Compact			
ISO 26000			
Other policy guidelines			

Management system

If you have a management system for corporate social responsibility, what out of the following is included in the work?

Mapping

Risk analysis

Action plan

✓ Monitoring

Sustainability reporting guidelines:

GRI (Global Reporting Initiative), GHG (Green House Gas Protocol)

2. ARTICLE INFORMATION

Document data

ld:	Version:
A-7300009-00795-0-29	4
Created:	Last saved:
2025-04-02 11:10:06	2025-07-14 10:59:02
Changes relates to:	

Lindab mastic acryl

Update of section 2-10

Article name:

Lindab mastic acryl

Article No/ID concept

Article identity: GTIN

7319663003499, 7319663003505, 7319663003512

Product group/Product group classification

Product group system	Product group id
BK04	01703
BSAB96	Z

Article description:

Lindab Mastic Acryl is a plasto-elastic phthalate-free water based acrylic sealant. It cures by evaporation of water and creates a joint with a movement capacity of +/- 15%. The product is used for sealing around doors and windows, and for filling cracks, board joints, tube passages etc. The sealant is

suitable for acoustic joints.

The assessment at Byggvarubedömningen is registered under the name "Lindab Mastic Acryl".

Declarations of performance:

Declaration of performance number:

Other information:

Not applicable

Annexes

Annex

SDS https://itsolution.lindab.com/SoftwareStats/SoftwareService.svc/redirect?scope=sdb-resource&urlversion=2&streamId=G0DI2DRwWjy&resourceId=XVYw3P18qGy

3. CHEMICAL CONTENT

Chemical content

Does the declaration apply to a product or chemical product?

chemical product

Enter chemical content for the whole article. The concentration is calculated at component level according to the principle of "once an article always an article".

Is there a safety data sheet for the article?

Yes

Is there classification of the article?

No

If yes, indicate the classification of the product under Regulation (EC) No

Enter which version of the candidate list has been used (Year, month, day)

2025-07-02

The article is covered by the RoHS Directive:

Enter the weight of the article:

No

Enter how large a proportion of the material content has been declared [%

100

If 100% material content is not declared, please state the reason

If the article contains nanomaterials deliberately added to obtain a particular function, enter these here:

The product does not contain deliberately added nanomaterial

Has the presence of nanomaterials deliberately added to notifiable chemical products been reported to the Product Register

No

Enter the proportion of volatile organic substances [g/litre], applies only to sealants, paints, varnishes and adhesives:

Article and/or sub-components

Phase	Delivery			
Component	Lindab Mastic acryl	Weight% of product	=100	

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
Sealant		=100		
Sealant	1,2-benzisothiazol-3(2H)-on	<0.036	2634-33-5	
				l317; Skin sens. 1 (SCL: 0,05%) H318; (M=1) H410; Aquatic Chronic 1 (M=1)
Sealant	1,2-propandiol	<1	57-55-6	
Sealant	5-chlor-2-methyl-4- isothiazolin-3-on [EC no.247- 500-7] / 2-Methyl□ 2 isothiazol-3-on (3:1)	<0.0015 H	55965-84-9	
Sealant	5-chlor-2-methyl-4- isothiazolin-3-on [EC no.247- 500-7] / 2-Methyl-2H- isothiazol-3-on (3:1)	<0.0015	55965-84-9	
		Comment: EUH071 H301; Acute Tox. 3, oral H310; Acute Tox. 2, dermal H314; skin Corr. IC (SCL:0,60%) H315; Skin Irrit. 2 (SCL: 0,06) H317; Skin Sens. 1A (SCL: 0,0015) H318; Eye Dam. 1 H319; Eye Irrit. 2 (SCL:0,60%) H330; Acute Tox. 2 dust H330; Acute Tox. 2, gas H330; Acute Tox. 2, vapour H400; Aquatic Acute 1 (M-acute*100) H410; Aquatic Chronic 1 (M-chronic*100)		
Sealant	Acrylic polymer – Based on acrylic acid ester, vinyl ester, acrylonitrile, acrylic styrene	25<=x<=50	Not available	

DINCH, 1,2 Sealant 5<=x<=15 166412-78-8 Cyklohexandikarboxylsyra, diisononylester Sealant 40<=x<=60 16389-88-1 Titanium dioxide Sealant 1<=x<=3 13463-67-7 Water 7732-18-5 Sealant 15<=x<=25

Other information:

4. RAW MATERIALS

Is there supporting documentation for the raw materials for third-party certified system for control of origin, raw material extraction, manufacturing or recycling processes or similar (for example BES 6001:2008, EMS certificate, USGBC Program)? If yes, enter system(s):

No

Raw materials

Total recycled material in the article

Is recycled material included in the article?

Renewable material

Enter proportion of renewable material in the article

0

Included biobased raw material is tested according to ASTM test method D6866:

Origin of raw material For this product, there has been no withdrawal of virgin fossil material No If yes, please indicate the maximum percentage of virgin fossil material that can be included in the material (or item) in question Wood raw materials Wood raw materials are included Included wood raw material is certified How large a proportion is certified [%]? What certification system has been used (for example FSC, CSA, SFI with CoC, PEFC)? Reference number: Enter logging country for the wood raw material and that following criteria have been met. Country of logging: Does not contain type of wood or origin in CITES appendix of endangered species Which version of CITES has been used for the check? The timber has been logged legally and there is certification for this 5. ENVIRONMENTAL IMPACT Environmental impact during life cycle of the article, production phase module A1-A3 under EN Has environmental product declaration been drawn up according to EN 15804 or ISO 14025 for the article? These product-specific rules, known as PCR, have been applied: Registration number / ID number for EPD: If there is environmental product declaration or other life cycle assessment, describe how the environmental impact of the article is taken into account

from a life cycle perspective:

6. DISTRIBUTION

Distribution of finished article

Does the supplier apply any system with multiple-use packaging for the article?	
No	
Does the supplier take back packaging for the article?	
No	
Is the supplier affiliated to a system for product responsibility for packaging?	
Yes	
If yes, which packaging and which system?	
Näringslivets producentansvar	
Can packaging/packaging be reused?	
Yes	
Can packaging/packaging be recycled?	
Yes	
Can packaging/packaging be energy recycled?	
Yes	
Does the supplier use Retursystem Byggpall?	
No	
Other information:	
7. CONSTRUCTION PHASE	
Construction phase	
Does the article make special requirements in storage?	
Yes	
Specify	
The product is to be stored frost free, inaccessible to children and in well-sealed containers. Opened containers must be resealed and stored upright to prevent leakage.	
Does the article make special requirements for surrounding building products?	
Yes	
Specify	
See safety data sheet	
Other information:	

8. USE PHASE

Use phase

9.

Does the article make requirements for input materials for operation and maintenance?
No
Specify:
Does the article require supply of energy during operation?
No
Specify:
Estimated technical service life for the article:
25-50 years
Comment:
The real service life is completely dependent on the unique situation that prevails for the unique application. Circumstances such as, for example, surface, pre-treatment, application procedure, application circumstances, wear and ambient environment (e.g. temp. humidity, wind, sun, etc.) can affect the material; thus, the service life varies a great deal.
Is there energy labelling under the Energy Labelling Directive (2010/30/EU) for the article?
Not applicable
If yes, enter labelling (G to A, A+, A+++, A+++):
If yes, enter marking (G to A)
Other information:
DEMOLITION
Demolition
Is the article prepared for disassembly (dismantling)?
Not applicable
Can the product be separated into pure material types for recycling?
Not applicable
Specify:
Does the article require special measures for protection of health and environment in demolition/disassembly?
No
Specify:
Other information:

10. WASTE MANAGEMENT

Delivered article

Is the supplied article covered by the Ordinance (2014:1075) on producer responsibility for electrical and electronic products when it becomes waste?
No
Is reuse possible for the whole or parts of the article when it becomes waste?
Not applicable
Specify:
Is material recovery possible for the whole or parts of the article when it becomes waste?
Not applicable
Specify:
Is energy recovery possible for the whole or parts of the article when it becomes waste?
Not applicable
Specify:
Does the supplier have restrictions and recommendation for re-use, material or energy recovery or landfilling?
Not applicable
Specify:
Waste code for the delivered article when it becomes waste
080410 - 10 Annat lim och annan fogmassa än som anges i 08 04 09.
When the supplied article becomes waste, is it classified as hazardous waste?
No
Mounted article
Is the mounted article classified as hazardous waste?
No
Other information

11. INDOOR ENVIRONMENT

Indoor environment

The article is not intended for indoor use			
The article does not emit any substances			
Emissions from the article not measured			
Does the article have a critical moisture state?			
No			
If yes, state what:			
Noise	Electrical field	Magnetic fields	
Can the article give rise to own noise?	Can the article give rise to electrical fields?	Can the article give rise to magnetic fields?	
No	No	No	
Value:	Value:	Value:	
Unit:	Unit:	Unit:	
Measuring method:	Measuring method:	Measuring method:	
Paints and varnishes			
The article is resistant to fungi and algae in use in wet areas			

Emissions

The article produces the following emissions in intended use:

Other information

The tested product complies with the requirements of GEV and the result corresponds to the EMICODE emission class EC 1 PLUS. For more information see attached the test report.